

STIEBEL ELTRON

WPL 17 ACS Classic

AIR SOURCE HEAT PUMPS

Comfortable heat for high performing homes


The WPL 17 ACS classic air source heat pump for hydronic heating is ideal for high-performing houses with a small heating load. Hydronic heat pumps extract energy from the outdoor air and utilise it to cost-effectively heat your home. STIEBEL's advanced inverter technology delivers all year round exceptional efficiency. Engineered for outdoor installation, the footprint of the WPL 17 ACS classic is small, meaning it can be used where space comes at a premium. The encapsulated refrigerant circuit, as well as the acoustically isolated compressor, guarantees quiet operation. In addition, the sound of the heat pump can be further reduced by enabling theintegrated silent mode function.





Product features

-) Single phase
-) Small footprint engineered for outdoor installation
- > Minimum operating sound with silent mode functionality
- > Advanced inverter technology ensures high efficiency
- > Suitable for passive house applications
-) Ideal for high-performing houses with a small heating load

Dimensions







| Туре | |
|--|-------|
| Article no. | |
| Energy efficiency class | |
| Rated voltage | V |
| Output at A7/W35 (EN14511) | kW |
| Coefficient of performance at A7/W35 (EN14511) | |
| Sound power level (EN 12102) | dB(A) |
| Sound pressure level at 5 m distance in a free field | dB(A) |
| Max. application limit on the heating side | °C |
| Height/Width/Depth | mm |
| Weight | kg |

| WPL 17 ACS classic | |
|--------------------|-----|
| 235922 | |
| A+/A++ | |
| 230 (single pha | se) |
| 8.5 | |
| 4.76 | |
| 57 | |
| 35 | |
| 60 | |
| 812/1152/524 | |
| 91 | |





Installation requirements as per AS/NZS3000.